Superliner

Top of the range liner





SUPERLINER, is the reference in top of the range liners: a fusion of our industrial str. (ALKORPLAN membranes, guarantees premium components and the absence of **SUPERLINER**, style tailored to your pool.



The little extras that make all the difference

Your pool just as you imagined it..

Procopi Pool Systems is a software suite available exclusively from Procopi that allows you to customize your **liner**, your **pool fittings** and your **automatic cover**.

You have everything you need to design your dream pool....



Super visual appeal

SUPERLINER liners are fitted with Procopi's patented flexible liner locking track, TOP-LINER, in a seamless join that ensures a flawless finish and facilitates cleaning of the water line.

Furthermore, the invariable quality of the membranes used to make SUPERLINER liners ensure uniform ageing of you pool.



Super variety


SUPERLINER liners come in a wide range of colours with an extensive selection of tile bands.

From the more conventional to the more daring, the SUPERLINER range allows freedom of expression, creativity is encouraged.


This broad variety, developed by our Design office, is a Procopi exclusive.



SUPERLINER - Plain



SUPERLINER - Patterned



The right-hand portion of the colour samples shown above are non-contractual simulations produced using Procopi Pool System's Procopi's exclusive pool design software suite.





Super hard wearing SUPERLINER membranes are coated with a protective varnish that render SUPERLINER liners exceptionally robust and hard-wearing (quality controlled in laboratories).



Super **practical**

SUPERLINER can be fitted to almost any pool, irrespective of its shape, size, type of base or the presence of steps or a cover pit.

SUPERLINER liners are tailor made for your pool.





SUPERLINER - Patterned with tile band

























while stocks last





Super leaktight
With its high frequency welds, SUPERLINER is absolutely leaktight. Peace of mind guaranteed.



Super thick

At 85/100 mm thick, SUPERLINER is the thickest liner available on the market. Durability and resilience guaranteed.



Super industrial force
SUPERLINER is made by PROCOPI, the No. 1 pool equipment manufacturer in France. This is the best assurance of quality and continuity that you could have.
French made, SUPERLINER guarantees superior quality.




4 Resistance tests (source Rénolit)

No.1/ Stain resistance

Stearix red test

A drop of dye is placed on the liner. After 10 minutes, the dye is wiped off. On standard membranes the ink infiltrates into the membrane, while Superliner's varnish forms an impenetrable barrier that protects the membrane.




Cleaning of the water line is facilitated (adherence of oils and other deposits is greatly diminished.)

No.2/ Scratch resistance

Erichsen scratch test

This test demonstrates that the protective varnish coating the plain and patterned membranes constituting the Superliner range increases their resistance to scratching compared to standard liners. In pools equipped with



automatic cleaners, continuously in contact with the membrane, this is a real advantage.

No.3/ Weathering resistance

Test Emmaqua

This test takes 6 months, it is an accelerated test that uses mirrors to concentrate light onto exposed samples to mimic exposure of the membrane to direct sunlight in France over 10 years. The varnish increases Superliner's resistance



to UV exposure by a factor of 2 and enhances protection of the liner colour. The protective coating also increases the liner's resistance to water treatment chemicals.

No.4/ Abrasion resistance

Taber test

This accelerated test reproduces the effects of abrasion over time. The liner is mounted on a flat horizontal wheel and is then subjected to a number of revolutions by 2 abrader wheels. After 1000 revolutions, Superliner



was intact, while the pattern on the standard printed liner was almost totally removed. Unsurpassed resistance to cleaning products and materials and contact with swimmers.



Guarantee

Guarantee

(* 6 ½ *)
against stains

Fixed charge ← ↓ ↓ For labour

GUARANTEES:

- Leaktightness of materials and seams: 10 years full guarantee.
- Against stains: 6 years full guarantee.
- Withstands temperatures up to 28°C.
- Guarantee claims are dealt with in under 2 weeks.
- Lump sum compensation to cover labour necessitated by replacement of the liner.

Reminder of the standards:

- All Superliner 85/100 liners are made from membranes manufactured in Europe. These membranes comply with every stipulation of the French safety standards AFNOR NF T 54 803-1• and NF EN 15836-1 (August 2010), and the Reach directive (EC 1907/2006).
- The fitting and maintenance of Superliner 85/100 liners (and liners in general) are described in the French safety standard AFNOR NF T 54 802• (April 2010).

We strongly recommend that you familiarize yourself with these standards and educate your clients concerning the responsibilities incumbent on them and set out in the same documents.

(•) These standards are available from AFNOR. Copying of the aforementioned documents is strictly prohibited.

Dealer's stamp

